

TABLE OF CONTENTS

| | |
|--|------|
| 1. INTRODUCTION | 1-1 |
| Study Authority | 1-1 |
| Study Purpose | 1-1 |
| Study Scope | 1-1 |
| Study and Report Process | 1-2 |
| Study Participants and Coordination | 1-2 |
| Prior Studies and Reports | 1-5 |
| 2. WITHOUT-PROJECT CONDITIONS | 2-1 |
| General | 2-1 |
| Study Area Description | 2-1 |
| Ventura River Watershed | 2-1 |
| Matilija Creek | 2-4 |
| Lower North Fork of Matilija Creek | 2-5 |
| Ventura River | 2-6 |
| Population and Land Use Characteristics | 2-6 |
| Recreation | 2-8 |
| Study Reaches | 2-9 |
| Historic Watershed Use | 2-12 |
| Cultural Resources | 2-14 |
| Groundwater Supply and Use | 2-16 |
| Water Quality | 2-16 |
| Environmental Studies | 2-17 |
| Biological Resources | 2-18 |
| Matilija Watershed | 2-18 |
| Ventura River Watershed | 2-20 |
| Ventura River Estuary | 2-21 |
| Steelhead Habitat Needs | 2-22 |
| River Flow and Water Diversions | 2-23 |
| Matilija Dam | 2-24 |
| Structural Dam Safety Evaluation | 2-26 |
| Monitoring and Management of Matilija Dam | 2-27 |
| Robles Diversion Dam | 2-28 |
| Robles Fishway | 2-30 |
| Casitas Dam | 2-31 |
| Foster Park Diversion | 2-32 |
| Water Rights | 2-33 |
| Wastewater Treatment | 2-33 |
| Hydrologic, Hydraulic and Sediment Transport Studies | 2-33 |
| Hydrologic Studies | 2-34 |
| Hydraulic Studies | 2-35 |
| Sediment Transport Studies | 2-36 |
| Sediment Deposition at Matilija Dam | 2-36 |
| Geotechnical Investigations of Deposited Sediments | 2-39 |

| | |
|---|------|
| Hazardous and Toxic Waste Sediment Assessment | 2-41 |
| Ventura River Morphology (Deposition and Erosion Patterns) | 2-42 |
| Habitat Evaluation Procedure | 2-45 |
| Riparian Habitat Component | 2-46 |
| Steelhead Habitat Component | 2-47 |
| Natural Processes Component | 2-47 |
| Existing Floodplain Features and Issues | 2-48 |
| 3. PLAN FORMULATION | 3-1 |
| Problems and Opportunities | 3-1 |
| Objectives and Constraints | 3-5 |
| National Objectives | 3-6 |
| Formulation of Measures and Alternative Plans | 3-7 |
| Measures Addressing Fate of Matilija Dam | 3-8 |
| No Dam Deconstruction | 3-8 |
| Dam Deconstruction | 3-9 |
| Measures to Address Trapped Sediment Behind Matilija Dam | 3-11 |
| Mechanical Transport of Sediment | 3-11 |
| Natural Sediment Transport | 3-16 |
| On-Site Sediment Stabilization | 3-16 |
| Additional Measures | 3-18 |
| Basis for General Characteristics of Alternative Plans | 3-19 |
| Alternative Plans | 3-20 |
| No Action Alternative | 3-21 |
| Alternative 1: Full Dam Removal/Mechanical Sediment Transport: Slurry ‘Reservoir Area’ Sediment to Disposal Site/Sell Coarse from Dam | 3-21 |
| Alternative 2a: Full Dam Removal/Natural Sediment Transport: Slurry ‘Reservoir Area’ Sediment Offsite | 3-24 |
| Alternative 2b: Full Dam Removal/Natural Sediment Transport: Natural Transport of ‘Reservoir Area’ Sediment | 3-25 |
| Alternative 3a: Incremental Dam Removal/Natural Sediment Transport: Slurry ‘Reservoir Area’ Sediment Offsite | 3-28 |
| Alternative 3b: Incremental Dam Removal/Natural Sediment Transport: Natural Transport of ‘Reservoir Area’ Sediment | 3-29 |
| Alternative 4a Full Dam Removal/On-Site Sediment Stabilization: Long-Term Transport Period | 3-32 |
| Alternative 4b Full Dam Removal/On-Site Sediment Stabilization: Short-Term Transport Period | 3-33 |
| Evaluation of Alternative Plans | 3-38 |
| Sediment Transport | 3-38 |
| Downstream Deposition and Turbidity | 3-39 |
| Flooding | 3-46 |
| Flood Protection Improvements | 3-47 |
| Beach Nourishment and Sediment Yield to the Ocean | 3-50 |
| Environmental Resources | 3-51 |
| Dam Site Topography | 3-51 |
| Biological Resources | 3-54 |

| | |
|---|------|
| Restoration Measures For Biological Resources | 3-61 |
| Giant Reed Management | 3-61 |
| Cultural Resources Impacts | 3-62 |
| Air Quality, Noise, and Traffic | 3-63 |
| Water Supply | 3-65 |
| Water Source for Slurry Operation | 3-65 |
| Robles Diversion Dam and Lake Casitas | 3-66 |
| Mitigation Measures For Diversion Operation Impacts to Robles Diversion Dam and Lake Casitas | 3-72 |
| Diversion Operation Impacts to Foster Park | 3-74 |
| Mitigation Measures For Diversion Operation Impacts at Foster Park | 3-76 |
| Groundwater Impacts | 3-76 |
| Comparison of the Alternative Plans | 3-77 |
| Completeness | 3-80 |
| Effectiveness | 3-80 |
| Efficiency | 3-80 |
| Acceptability | 3-80 |
| Alternative Benefits | 3-84 |
| Alternative Costs | 3-84 |
| National Ecosystem Restoration Plan | 3-87 |
| Locally Preferred Plan | 3-87 |
| 4. THE RECOMMENDED PLAN | 4-1 |
| General | 4-1 |
| Plan Description | 4-1 |
| Site Preparation | 4-1 |
| Removal of ‘Reservoir Area’ Sediments | 4-1 |
| Management of ‘Delta’ and ‘Upstream Channel’ Area Sediments | 4-5 |
| Dam Demolition | 4-7 |
| Final Clean-up | 4-7 |
| Mitigation for Flooding Impacts | 4-7 |
| Summary of Mitigation Features | 4-17 |
| Mitigation for Water Supply Impacts | 4-17 |
| Robles Diversion Dam | 4-18 |
| Foster Park Water Supply Facilities | 4-19 |
| Water Supply Mitigation Measures | 4-19 |
| Other Environmental Features | 4-22 |
| Other Environmental Mitigation Measures | 4-22 |
| Real Estate Requirements | 4-23 |
| Dam and Sediment Removal | 4-23 |
| Mitigation for induced Flooding | 4-23 |
| Mitigation for Water Supply Impacts | 4-24 |
| Monitoring and Adaptive Management | 4-27 |
| Recreation Plan | 4-29 |
| Recreation Trails and Associated Features | 4-30 |
| Design and Construction Considerations | 4-35 |
| Operations, Maintenance, Repair, Rehabilitation & Replacement Considerations (OMRRR) | 4-35 |

| | |
|---|------|
| Ecosystem Restoration Features | 4-35 |
| Mitigation for Induced Flooding | 4-35 |
| Mitigation for Water Supply Impacts | 4-35 |
| Other Environmental Features | 4-36 |
| Recreation Plan | 4-36 |
| Desilting Basin | 4-36 |
| Project Costs | 4-36 |
| First Costs | 4-36 |
| Real Estate Costs | 4-37 |
| Monitoring and Adaptive Management Costs | 4-37 |
| Associated Feature Costs | 4-37 |
| OMRRR Costs | 4-41 |
| Project Benefits | 4-41 |
| Ecosystem Restoration Benefits | 4-41 |
| Flood Protection Benefits | 4-43 |
| Water Supply Benefits | 4-43 |
| Economic Summary | 4-43 |
| Project Justification | 4-45 |
| Environmental Commitments | 4-45 |
| Relationship to Environmental Requirements | 4-49 |
| 5. PLAN IMPLEMENTATION | 5-1 |
| General | 5-1 |
| Federal and Non-Federal Costs | 5-1 |
| Ecosystem Restoration | 5-1 |
| Recreation | 5-1 |
| Other Purposes or Associated Features | 5-2 |
| Cost Apportionment | 5-2 |
| Operation, Maintenance, Repair, Rehabilitation, & Replacement (OMRRR) Costs | 5-3 |
| Other Non-Federal Requirements | 5-4 |
| Schedule | 5-6 |
| Cost Estimates | 5-7 |
| Non –Federal | 5-8 |
| Sponsor Support | 5-8 |
| Financial Analysis | 5-8 |
| 6. SUMMARY OF COORDINATION, PUBLIC VIEWS & COMMENTS | 6-1 |
| Public Involvement Program | 6-1 |
| Public Workshop | 6-1 |
| Public Concerns | 6-1 |
| Public Review of Draft Report | 6-4 |
| Institutional Involvement | 6-5 |
| Additional Coordination | 6-6 |
| Report Recipients | 6-7 |
| 7. CONCLUSIONS | 7-1 |
| General | 7-1 |
| 8. RECOMMENDATIONS | 8-1 |
| 9. REFERENCES | 9-1 |

LIST OF FIGURES/PHOTOS

| Figure #: | Description | Page #: |
|-----------|---|---------|
| 1-1 | Organizational Chart | 1-4 |
| 2-1 | Study Area | 2-2 |
| 2-2 | Land Use | 2-7 |
| 2-3 | Study Reaches | 2-10 |
| 2-4 | Fishermen with Steelhead: Upper Ventura River, circa 1920 | 2-13 |
| 2-5 | Matilija Creek (pre-dam construction) | 2-19 |
| 2-6 | Pre-Dam Photo of Matilija Creek | 2-19 |
| 2-7 | Ventura River Estuary | 2-22 |
| 2-8 | Matilija Dam in 1948 | 2-25 |
| 2-9 | Matilija Dam in 2001 | 2-25 |
| 2-10 | Historic Notching of Dam | 2-27 |
| 2-11 | Robles Diversion Dam Sediment Basin | 2-29 |
| 2-12 | Robles Diversion Dam Sluice Gates | 2-30 |
| 2-13 | Foster Park Diversion Structure | 2-32 |
| 2-14 | Peak Discharge History in the Ventura River | 2-35 |
| 2-15 | Aerial View of Matilija Dam and Reservoir, 1960 | 2-37 |
| 2-16 | Aerial View of Matilija Dam and Reservoir, 1978 | 2-37 |
| 2-17 | Sediment Deposition Areas | 2-39 |
| 2-18 | Matilija Reservoir Area (Partially Drained) | 2-40 |
| 2-19 | Typical Surface Bed Material | 2-42 |
| 2-20 | Erosion at Surfer's Point Near Mouth of the Ventura River | 2-36 |
| 2-21 | 50-yr Floodplain | 2-49 |
| 2-22 | 100-yr Floodplain | 2-50 |
| 2-23 | Matilija Dam During Recent Storm | 2-51 |
| 2-24 | Casitas Springs Levee in Feb 1998 Storm Event | 2-52 |
| 3-1 | Alternative 1 | 3-23 |
| 3-2 | Alternative 2a | 3-26 |
| 3-3 | Alternative 2b | 3-27 |
| 3-4 | Alternative 3a | 3-30 |
| 3-5 | Alternative 3b | 3-31 |
| 3-6 | Alternative 4a | 3-34 |
| 3-7 | Alternative 4b | 3-37 |
| 3-8 | Haul Routes | 3-78 |
| 4-1 | Recommended Plan | 4-2 |
| 4-2 | Slurry Disposal Site | 4-4 |
| 4-3 | Sediment Storage Sites | 4-6 |
| 4-4 | 100-yr Floodplain Without Project Conditions | 4-9 |
| 4-5 | 100-yr Floodplain with Bridge Modifications Only | 4-10 |
| 4-6 | 100-yr Floodplain with Levees and Bridge Modifications | 4-11 |
| 4-7 | 100-yr Floodplain Meiners Oaks | 4-12 |
| 4-8 | 100-yr Floodplain Live Oak | 4-13 |

| | | |
|------|-------------------------------------|------|
| 4-9 | 100-yr Floodplain Casitas Springs | 4-14 |
| 4-10 | Robles Sediment Bypass Structure | 4-21 |
| 4-11 | Desilting Basin - Conceptual Design | 4-26 |
| 4-12 | Potential Desilting Basin Sites | 4-27 |
| 4-13 | Recreation Features | 4-33 |
| 4-14 | Lower Portion of Recreation Trail | 4-34 |

LIST OF TABLES

| Table #: | Description | Page #: |
|----------|---|---------|
| S-1 | Economic Outputs | xi |
| 2-1 | Major Subwatersheds | 2-3 |
| 2-2 | Upper Matilija Creek Basin | 2-5 |
| 2-3 | Major Reaches of Matilija Creek and the Ventura River | 2-11 |
| 2-4 | Peak Flows at Selected Locations | 2-34 |
| 2-5 | Projected Deposition with Dam in Place | 2-38 |
| 2-6 | Approximate Quantity of Materials behind Matilija Dam | 2-40 |
| 2-7 | Avg Sediment Deposition by Reach for Without Project Conditions | 2-44 |
| 2-8 | Current & Equilibrium Sediment Delivery | 2-45 |
| 2-9 | Summary Baseline Conditions HEP Outputs | 2-48 |
| 2-10 | Potential Crop Damages | 2-51 |
| 3-1 | Required Downstream Flood Mitigation Measures | 3-49 |
| 3-2 | Summary of Sediment Delivery to the Ocean | 3-50 |
| 3-3 | Annual Water Volume Not Diverted at Foster Park | 3-75 |
| 3-4 | Summary of NED/NER Outputs | 3-81 |
| 3-5 | Summary of Environmental Quality Outputs | 3-82 |
| 3-6 | Summary of RED & OSE Outputs | 3-83 |
| 3-7 | Comparison of Environmental HEP Outputs | 3-84 |
| 3-8 | Economic Outputs | 3-86 |
| 3-9 | Cost Effectiveness Analysis | 3-87 |
| 4-1 | Downstream Flood Mitigation Measures | 4-8 |
| 4-2 | Summary of Risk and Uncertainty Measures for Alternative 4b | 4-16 |
| 4-3 | Summary of Measures Included to Mitigate Induced Flooding | 4-17 |
| 4-4 | First Cost to Implement the Recommended Plan | 4-38 |
| 4-5 | OMRRR Costs | 4-41 |
| 4-6 | HEP Comparison of Baseline Conditions to Recommended Plan | 4-42 |
| 4-7 | Economic Analysis of Recommended Plan | 4-44 |
| 4-8 | Environmental Impacts & Mitigation Measures for Recommend Plan | 4-46 |
| 4-9 | Degree of Compliance with Environmental Requirements | 4-50 |
| 5-1 | Recommended Plan Cost Apportionment | 5-3 |
| 5-2 | OMRRR Costs | 5-4 |
| 5-3 | Milestone Schedule | 5-7 |
| 5-4 | Funding by Federal Fiscal Year | 5-8 |

APPENDICES (Under Three Separate Covers)

- 1). Environmental Impact Statement/Environmental Impact Report
- 2). Technical Appendices:
 - Appendix A: Civil Design
 - Appendix B: Structural Evaluation
 - Appendix C: Geotechnical Report
 - Appendix E: Economics
 - Appendix F: Cost Estimates
 - Appendix G: Real Estate
- 3). Technical Appendix D: Hydrologic, Hydraulic and Sediment Transport Studies